

1. COMPANY INFORMATION

Lindab Sverige AB Filial

Company name:

Lindab Sverige AB Filial

Organisation number:

556247-2273

Address:

Dolkvägen 16

Contact person:

Kundtjänst

E-mail:

kundtjanst.ventilation@lindab.com

Telephone:

+46 10 14 64 100

VAT number:

Website:

www.lindab.com

GLN:

7300009-00795-0

DUNS:

Company was last saved

2025-02-10 10:43:06

Company's certification



ISO 9001



ISO 14001

Other:

Policies and guidelines



The company has a code of conduct/policy/guidelines for dealing with social responsibility in the supplier chain, including procedures for ensuring the requirements



This is third-party audited

If yes, which if the following guidelines have you affiliated to or management system you have implemented



UN guiding principles for companies and human rights



ILO's eight core conventions



OECD Guidelines for Multinational Enterprises



UN Global Compact



ISO 26000

Other policy guidelines

Management system

If you have a management system for corporate social responsibility, what out of the following is included in the work?

- ☒ Mapping
- ☒ Risk analysis
- ☒ Action plan
- ☒ Monitoring

Sustainability reporting guidelines:

GRI (Global Reporting Initiative), GHG (Green House Gas Protocol)

2. ARTICLE INFORMATION

Document data

Id:

A-7300009-00795-0-29

Version:

5

Created:

2025-12-09 14:23:50

Last saved:

2025-12-10 09:14:07

Changes relates to:

Update of section 3

Lindab mastic acryl

Article name:

Lindab mastic acryl

Article No/ID concept

Article identity: GTIN

7319663003499, 7319663003505, 7319663003512

Product group/Product group classification

Product group system	Product group id
BK04	01703
BSAB96	Z

Article description:

Lindab Mastic Acryl is a plasto-elastic phthalate-free water based acrylic sealant. It cures by evaporation of water and creates a joint with a movement capacity of +/- 15%. The product is used for sealing around doors and windows, and for filling cracks, board joints, tube passages etc. The sealant is also suitable for acoustic joints. The assessment at Byggvarubedömningen is registered under the name "Lindab Mastic Acryl".

Declarations of performance:

Not applicable

Declaration of performance number:

Other information:

Annexes

Annex

SDS <https://itsolution.lindab.com/SoftwareStats/SoftwareService.svc/redirect?scope=sdb-resource&url-version=2&streamId=G0DI2DRwWjy&resourceId=XVYw3P18qGy>

Test Report Emissions <https://itsolution.lindab.com/SoftwareStats/SoftwareService.svc/redirect?scope=sdb-resource&url-version=2&streamId=G0DI2DRwWjy&resourceId=n5a2QmXQ2VZ>

3. CHEMICAL CONTENT

Chemical content

Does the declaration apply to a product or chemical product?

chemical product

Enter chemical content for the whole article. The concentration is calculated at component level according to the principle of "once an article always an article".

Is there a safety data sheet for the article?

Yes

Is there classification of the article?

No

If yes, indicate the classification of the product under Regulation (EC) No

Enter which version of the candidate list has been used (Year, month, day)

2025-12-10

The article is covered by the RoHS Directive:

No

Enter the weight of the article:

Enter how large a proportion of the material content has been declared [%]:

100

If 100% material content is not declared, please state the reason

If the article contains nanomaterials deliberately added to obtain a particular function, enter these here:

The product does not contain deliberately added nanomaterial

Has the presence of nanomaterials deliberately added to notifiable chemical products been reported to the Product Register

No

Enter the proportion of volatile organic substances [g/litre], applies only to sealants, paints, varnishes and adhesives:

Article and/or sub-components

Phase	Delivery		
Component	Lindab Mastic acryl	Weight% of product	=100
Comment			
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation
Sealant		=100	
Sealant	1,2-benzisothiazol-3(2H)-on	<0.036	2634-33-5
		Comment: H302; Acute Tox. 4, oral H315; Skin Irrit. 2 H317; Skin sens. 1 (SCL: 0,05%) H318; Eye Dam. 1 H330; Acute Tox. 2 H400; Aquatic Acute 1 (M=1) H410; Aquatic Chronic 1 (M=1)	
Sealant	1,2-propandiol	<1	57-55-6
Sealant	5-chlor-2-methyl-4-isothiazolin-3-on [EC no.247-500-7] / 2-Methyl-2H-isothiazol-3-on (3:1)	<0.0015	55965-84-9
		Comment: EUH071 H301; Acute Tox. 3, oral H310; Acute Tox. 2, dermal H314; skin Corr. !C (SCL:0,60%) H315; Skin Irrit. 2 (SCL: 0,06) H317; Skin Sens. 1A (SCL: 0,0015) H318; Eye Dam. 1 H319; Eye Irrit. 2 (SCL:0,60%) H330; Acute Tox. 2 dust H330; Acute Tox. 2, gas H330; Acute Tox. 2, vapour H400; Aquatic Acute 1 (M-acute*100) H410; Aquatic Chronic 1 (M-chronic*100)	
Sealant	Acrylic polymer – Based on acrylic acid ester, vinyl ester, acrylonitrile, acrylic styrene	25<=x<=50	Not available

Sealant	DINCH, 1,2 Cyklohexandikarboxylsyra, diisononylester	5<=x<=15	166412-78-8
Sealant	Dolomit	40<=x<=60	16389-88-1
Sealant	Titanium dioxide	1<=x<=3	13463-67-7
Sealant	Water	15<=x<=25	7732-18-5

Other information:

4. RAW MATERIALS

Is there supporting documentation for the raw materials for third-party certified system for control of origin, raw material extraction, manufacturing or recycling processes or similar (for example BES 6001:2008, EMS certificate, USGBC Program)? If yes, enter system(s):

No

Raw materials

Total recycled material in the article

☐ Is recycled material included in the article?

Renewable material

Enter proportion of renewable material in the article

0

☐ Included biobased raw material is tested according to ASTM test method D6866:

Origin of raw material

For this product, there has been no withdrawal of virgin fossil material

No

If yes, please indicate the maximum percentage of virgin fossil material that can be included in the material (or item) in question

Wood raw materials

☐ Wood raw materials are included

☐ Included wood raw material is certified

How large a proportion is certified [%]?

What certification system has been used (for example FSC, CSA, SFI with CoC, PEFC)?

Reference number:

Enter logging country for the wood raw material and that following criteria have been met. Country of logging:

☐ Does not contain type of wood or origin in CITES appendix of endangered species

Which version of CITES has been used for the check?

☐ The timber has been logged legally and there is certification for this

5. ENVIRONMENTAL IMPACT

Environmental impact during life cycle of the article, production phase module A1-A3 under EN

☐ Has environmental product declaration been drawn up according to EN 15804 or ISO 14025 for the article?

These product-specific rules, known as PCR, have been applied:

Registration number / ID number for EPD:

If there is environmental product declaration or other life cycle assessment, describe how the environmental impact of the article is taken into account from a life cycle perspective:

6. DISTRIBUTION

Distribution of finished article

Does the supplier apply any system with multiple-use packaging for the article?

No

Does the supplier take back packaging for the article?

No

Is the supplier affiliated to a system for product responsibility for packaging?

Yes

If yes, which packaging and which system?

Näringslivets producentansvar

Can packaging/packaging be reused?

Yes

Can packaging/packaging be recycled?

Yes

Can packaging/packaging be energy recycled?

Yes

Does the supplier use Retursystem Byggpal?

No

Other information:

7. CONSTRUCTION PHASE

Construction phase

Does the article make special requirements in storage?

Yes

Specify

The product is to be stored frost free, inaccessible to children and in well-sealed containers. Opened containers must be resealed and stored upright to prevent leakage.

Does the article make special requirements for surrounding building products?

Yes

Specify

See safety data sheet

Other information:

8. USE PHASE

Use phase

Does the article make requirements for input materials for operation and maintenance?

No

Specify:

Does the article require supply of energy during operation?

No

Specify:

Estimated technical service life for the article:

25-50 years

Comment:

The real service life is completely dependent on the unique situation that prevails for the unique application. Circumstances such as, for example, surface, pre-treatment, application procedure, application circumstances, wear and ambient environment (e.g. temp. humidity, wind, sun, etc.) can affect the material; thus, the service life varies a great deal.

Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?

Not applicable

If yes, enter labelling (G to A, A+, A++, A+++):

If yes, enter marking (G to A)

Other information:

9. DEMOLITION

Demolition

Is the article prepared for disassembly (dismantling)?

Not applicable

Can the product be separated into pure material types for recycling?

Not applicable

Specify:

Does the article require special measures for protection of health and environment in demolition/disassembly?

No

Specify:

Other information:

10. WASTE MANAGEMENT

Delivered article

Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?

No

Is reuse possible for the whole or parts of the article when it becomes waste?

Not applicable

Specify:

Is material recovery possible for the whole or parts of the article when it becomes waste?

Not applicable

Specify:

Is energy recovery possible for the whole or parts of the article when it becomes waste?

Not applicable

Specify:

Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?

Not applicable

Specify:

Waste code for the delivered article when it becomes waste

080410 - 10 Annat lim och annan fogmassa än som anges i 08 04 09.

When the supplied article becomes waste, is it classified as hazardous waste?

No

Mounted article

Is the mounted article classified as hazardous waste?

No

Other information

11. INDOOR ENVIRONMENT

Indoor environment

<input type="checkbox"/>	The article is not intended for indoor use
<input type="checkbox"/>	The article does not emit any substances
<input type="checkbox"/>	Emissions from the article not measured

Does the article have a critical moisture state?

No

If yes, state what:

--

Noise

Can the article give rise to own noise?

No

Value:

Unit:

Measuring method:

Electrical field

Can the article give rise to electrical fields?

No

Value:

Unit:

Measuring method:

Magnetic fields

Can the article give rise to magnetic fields?

No

Value:

Unit:

Measuring method:

Paints and varnishes

<input type="checkbox"/>	The article is resistant to fungi and algae in use in wet areas
--------------------------	---

Emissions

The article produces the following emissions in intended use:

Other information

The product has been tested according to the GEV emission testing method and meets the requirements for EMICODE certification. For more information see attached test report in section 2.